

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : UBIK LITE  
Product code : 315  
Type of product : Detergent  
Product group : Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Cleaner

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Christeyns Professional Hygiene UK Ltd  
Clover House  
Macclesfield Road  
SK23 7DQ Whaley Bridge, Derbyshire  
United Kingdom  
T 01663 733114, F 01663 733115  
[info.cph.uk@christeyns.com](mailto:info.cph.uk@christeyns.com), [www.christeyns-ph.co.uk](http://www.christeyns-ph.co.uk)

#### Supplier

Christeyns NV  
Afrikalaan 182  
9000 GENT  
Belgium  
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44  
[info@christeyns.be](mailto:info@christeyns.be), [www.christeyns.com](http://www.christeyns.com)

### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word : Danger  
Contains : Fatty alcohol ethoxylate; Isotridecanol, ethoxylated  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.  
Precautionary statements (CLP) : P102 - Keep out of reach of children.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves, eye protection.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Isotridecanol, ethoxylated (69011-36-5)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isotridecanol, ethoxylated	CAS-no: 69011-36-5 REACH-no: polymer	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
Fatty alcohol ethoxylate	CAS-no: 160875-66-1 Einecs nr: 605-233-7 REACH-no: Exempted (polymer)	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Eye Dam. 1, H318
3-butoxy-2-propanol	CAS-no: 5131-66-8 Einecs nr: 225-878-4 EG annex nr: 603-052-00-8 REACH-no: 01-2119475527-28	1 – 3	Eye Irrit. 2, H319 Skin Irrit. 2, H315

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
Inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: Inhalation may cause irritation, cough, shortness of breath.
Acute effects skin	: Causes skin irritation. Red skin.
Acute effects eyes	: Causes serious eye damage. redness, itching, tears.
Acute effects oral route	: May cause irritation to the digestive tract. Abdominal pain, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Mark the danger area. Wear recommended personal protective equipment. Stop leak if safe to do so.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a cool, well-ventilated place. Keep container tightly closed.
- Packaging materials : polyethylene. stainless steel.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure that there is a suitable ventilation system.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Avoid all unnecessary exposure.

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses. Wear eye protection

#### 8.2.2.2. Skin protection

##### Protective equipment:

Wear suitable protective clothing

##### Hand protection:

Wear protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Not required

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Physical state/form	: Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point/range	: 0 °C
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: 100 °C
Flammability	: Non flammable.
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: 12 – 13.5
Viscosity, kinematic	: Thin liquid
Viscosity, dynamic	: < 20 cP at 20 °C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.013 g/cm <sup>3</sup>
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

<b>Fatty alcohol ethoxylate (160875-66-1)</b>	
LD50 oral rat	> 300 (300 – 2000) mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>3-butoxy-2-propanol (5131-66-8)</b>	
LD50 oral rat	3300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2800 - 4500
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Vapours)	35 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns. pH: 12 – 13.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 12 – 13.5
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
<b>3-butoxy-2-propanol (5131-66-8)</b>	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>3-butoxy-2-propanol (5131-66-8)</b>	
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified  
Additional information : Based on available data, the classification criteria are not met

<b>UBIK LITE</b>	
Viscosity, kinematic	Thin liquid

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

<b>Fatty alcohol ethoxylate (160875-66-1)</b>	
EC50 - Crustacea [1]	> 10 mg/l
ErC50 algae	> 10 mg/l
NOEC chronic fish	> 1 mg/l

<b>3-butoxy-2-propanol (5131-66-8)</b>	
LC50 - Fish [1]	> 560 mg/l <i>Poecilia reticulata</i> (Guppy)
EC50 - Crustacea [1]	> 1000 mg/l

### 12.2. Persistence and degradability

<b>UBIK LITE</b>	
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

<b>Fatty alcohol ethoxylate (160875-66-1)</b>	
Persistence and degradability	Biodegradable.

<b>3-butoxy-2-propanol (5131-66-8)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	90 % (28 d)

<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

<b>UBIK LITE</b>	
Bioaccumulative potential	No bioaccumulation.

<b>Fatty alcohol ethoxylate (160875-66-1)</b>	
Bioaccumulative potential	No bioaccumulation.

<b>3-butoxy-2-propanol (5131-66-8)</b>	
Log Pow	1.2

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### UBIK LITE

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Isotridecanol, ethoxylated (69011-36-5)
---	---

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Waste / unused products : Avoid release to the environment.

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
Not regulated for transport		
<b>14.2. UN proper shipping name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# UBIK LITE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### Detergent Regulation (648/2004)

#### Labelling of contents

Component	%
non-ionic surfactants, amphoteric surfactants	<5%

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.