

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date first issue: 01/08/2008 Review date: 06/08/2024 Supersedes version of: 17/01/2023 Version: 8.3

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44

info@christeyns.be, www.christeyns.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : VANQUISH
Product code : 304

Type of product : Detergent, Cleaning agent

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Alkaline cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ManufacturerSupplierChristeyns Professional Hygiene UK LtdChristeyns NVClover HouseAfrikalaan 182Macclesfield Road9000 GENTSK23 7DQ Whaley Bridge, DerbyshireBelgium

SK23 7DQ Whaley Bridge, Derbyshire United Kingdom

T 01663 733114, F 01663 733115 info.cph.uk@christeyns.com, www.christeyns-ph.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

o (ozi)

GHS05

CLP Signal word : Danger

Contains : Sodium hydroxide; Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides,; Alcohols,

C12-14, ethoxylated, sulfates, sodium salts

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing.

P405 - Store locked up.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4), Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4), Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	10 – 30	Met. Corr. 1, H290 Skin Corr. 1A, H314
Amines, C12-14 (even numbered)- alkyldimethyl, Noxides,	CAS-no: 308062-28-4 Einecs nr: 931-292-6 REACH-no: 01-2119490061- 47	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=500.00000 mg/kg) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Beta-alanine, N-(2-carboxyethyl)-,N-coco alykyl derivs., disodium salts	CAS-no: 90170-43-7 Einecs nr: 290-476-8 REACH-no: 01-2119976233- 35	1 – 3	Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639- 16	1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤ C < 10) Eye Irrit. 2, H319 (10 ≤ C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

Skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately

call a POISON CENTER/doctor.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Acute effects inhalation : May cause shortness of breath, tightness of the chest, a sore throat and cough.

Acute effects skin : Causes severe burns.

Acute effects eyes : Causes serious eye damage. Causes serious eye burns.

Acute effects oral route : Abdominal pain, nausea. Burns or irritation of the linings of the mouth, throat, and

gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact

during pregnancy/while nursing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep container tightly closed.

Incompatible products : Strong acids.

Packaging materials : polyethylene. stainless steel.

7.3. Specific end use(s)

No additional information available

06/08/2024 (Revision date) EN (English) 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m³
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL) 2 mg/m³	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield. Wear eye protection

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing. alkali resistant protective clothing

Hand protection:

Wear protective gloves

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Liquid.
Odour : odourless.
Odour threshold : Not available

Melting point/range : 0 °C

Freezing point : Not determined as it is not relevant for the characterization of the product

Boiling point/Boiling range : 100 °C

Flammability : Non flammable.

Lower explosion limit : Constituents do not contain chemical groups associated with explosivity

Upper explosion limit : Constituents do not contain chemical groups associated with explosivity

Flash point : Not determined as it is not relevant for the characterization of the product

: Not applicable

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Not available рΗ : 13 – 14 Viscosity, kinematic : Not available : ≈ 1100 cP at 20 °C Viscosity, dynamic Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.175 g/cm3 Relative vapour density at 20°C : Not available

Particle characteristics 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Aluminium. Zinc.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapours. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)

LD50 oral rat 1064 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

LD50 oral rat > 4100 mg/kg OCDE 401

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
LD50 dermal rat	> 2000 mg/kg OCDE 402

Skin corrosion/irritation : Causes severe skin burns.

pH: 13 - 14

Serious eye damage/irritation : Causes serious eye damage.

pH: 13 - 14

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Sodium hydroxide (1310-73-2)		
LC50 - Fish [1]	> 35 mg/l	
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)	
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea	
Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)		
LC50 - Fish [1]	2.67 mg/l	
EC50 - Crustacea [1]	3.1 mg/l	
ErC50 algae	0.143 mg/l	
NOEC chronic algae	0.067 mg/l	
Alcohols, C12-14, ethoxylated, sulfate	Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l OCDE 203	
EC50 - Crustacea [1]	7.2 mg/l	
EC50 72h - Algae [1]	27.7 mg/l	
EC50 96h - Algae [1]	7.5 mg/l	
NOEC chronic crustacea	0.27 mg/l	
NOEC chronic algae	0.95 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

2.2.1 cristerios una degradaminy			
VANQUISH			
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		
Sodium hydroxide (1310-73-2)			
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.		
Beta-alanine, N-(2-carboxyethyl)-,N-coco alyky	yl derivs., disodium salts (90170-43-7)		
Persistence and degradability	Rapidly degradable		
Amines, C12-14 (even numbered)- alkyldimeth	Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)		
Persistence and degradability	Rapidly degradable		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)			
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.		
2.3. Bioaccumulative potential			
VANQUISH			
Bioaccumulative potential	No bioaccumulation.		
Sodium hydroxide (1310-73-2)			
Log Pow	-3.88		
Bioaccumulative potential	No bioaccumulation.		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

VANQUISH

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4), Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4), Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Waste / unused products : Avoid release to the environment.

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1760	UN 1760	UN 1760

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
14.2. UN proper shipping name		
CORROSIVE LIQUID, N.O.S. (Sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (Sodium hydroxide)	Corrosive liquid, n.o.s. (Sodium hydroxide)
Transport document description		
UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hydroxide), 8, II, (E)	UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hydroxide), 8, II	UN 1760 Corrosive liquid, n.o.s. (Sodium hydroxide), 8, II
14.3. Transport hazard class(es)		
8	8	8
8	8	8
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 11

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T11

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

: TP2, TP27

Tunnel code : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
amphoteric surfactants, non-ionic surfactants, anionic surfactants	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Met. Corr. 1	Corrosive to metals, Category 1		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Corr. 1A	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.